



## Pergola SUN

Hand operated foldable pergola
Base production time 2 weeks





Available with: **Roofing** for fabric protection






Can be ordered flat or with one side lowered to direct **water flow** to one side






### Pergola SUN

Warranty 2 years Wind resistance class 3




Wall installation brackets


Floor installation brackets



Corner connectors are easy and fast to use crating a rigid joint with no visable screws.

Sizes of stainless steel carts









## **Pergola SUN freestanding**

Hand operated foldable pergola
Base production time 2 weeks





Available with: **Roofing** for fabric protection






Can be ordered flat or with one side lowered to direct **water flow** to one side






# Pergola SUN freestanding

Warranty 2 years Wind resistance class 3




Floor installation brackets



Corner connectors are easy and fast to use creating a rigid joint with no visable screws.

Sizes of stainless steel carts









#### Pergola PRO wall installation

Foldable pergola
Base production time 4 weeks





Available with: **Roofing** for fabric protection



Available with:

**Side seals** - fabric with side walls stops water from going of the side. Especially useful when combining 2 units or installing glass or screens.

Available with: integrated LEDs







#### **Pergola PRO freestanding**

Foldable pergola Base production time 4 weeks



Available with: **Roofing** for fabric protection



Available with: Side seals - fabric with side walls stops water from going of the side.

seamles floor bracket

Optional:
Rain outlet bottom
pipe connection





### Pergola PRO freestanding double

**Foldable pergola** Base production time 4 weeks







#### Pergola PRO

max 500cm

max 900cm

Warranty 2 years Wind resistance class 3





fabric with side walls

stops water from
going of the side.

Guter system
Water is removed through
the pillars ending with outlet
on ground level or pvc pipe.

**Roofing**Size of roofing depends on perola depth.

Side beams
Required in freestanding models, or when glass or screen walls are planed.
Its lower than the front!

max 30cm

#### DRAGON

DRAGON Korgul, Prochowski Sp. J. Trakt Św. Wojciecha 223/225 80-017 Gdańsk, Poland Tel.: +48 58 300 95 16 www.awnings.pl export@awnings.pl